


New Working New Living

Website: www.flexispot.com

Tel: 1-855-585-5618


Address: 6475 Las Positas Rd. Livermore, CA 94551



FlexiSpot

User Manual

Item No. MCC04B/MCC04W




INSTRUCTIONS –
KEEP FOR FUTURE REFERENCE


Specifications

Load Capacity: Static evenly distributed load 350lbs, dynamic load (with person sitting) 250lbs.
Dimensions: Cabinet 30"x15"x45.7", bottom adjustable feet can be adjusted from 0.2"-0.4".


Installation Instructions




Assemble on carpet to prevent scratches



Cooperative assembly






Phillips screwdriver or drill required (not provided)




A hammer or a rubber mallet is recommended (not provided)

Accessory Package


Note: The following line drawings are for reference only and in some cases may be different from the actual part; please refer to the actual part. If you find missing parts or have installation problems, please contact customer service.



 Ø7*40 A X36	 Ø15*12 B X36	 Ø8*30 C X20	 Ø5*17 D X8	 M6*10 E X4	 F X36
 Ø4*14 G X24	 H X4	 Ø4*18 K X4	 16.5*2 L X2	 M6*10 M X8	 M6*15 N X4
 ST4*35 O X4	 ST4*14 P X6	 ST4*40 Q X2	 Ø8*40 R X2	 S X2	 T X2


Panel Identification





Three-in-One Installation Steps









			
Ø8*30		Ø15*12	
Ⓒ	X6	Ⓑ	X8




			
Ø8*30		Ø15*12	
Ⓒ	X6	Ⓑ	X8






After assembly, the eccentric wheel caps (F) should be visible on both the left and right sides.


Install The Cabinet Doors



Install The Cabinet Doors



Install The Metal Base



Combine Two Cabinets

Use metal connectors to fasten the two cabinets together

